PRICE LIST FOR WOOD MOULDING.



No. 3.

No. 3 is applied to the *lower* sash of lift-windows, making them air-tight, and entirely preventing their *rattling*. Close the sash and brad to the stop bead, at the sides and bottom, so that the rubber will press gently against the sash For a neat job, mitre the corners. Use 3-4 inch brads or finishing nails. This is also used for *upper* sash for applying it outside.

	Per Foot.
Walnut, Oak or Cherry, plain	5 cts.
" " " polished	8 "
Mahogany, polished	10 "
White	7 "
Applying, additional	2 "



No. 4.

No. 4 is a perfect arrangement for closing the joints between double doors. Close the doors, and nail to one door with the rubber projecting over the other. Use 1 1-4 inch finishing nails or brads.

	Per Foot.
Walnut, Oak or Cherry, plain	12 cts.
" " " polished	20 "
Mahogany, polished	25 "
White	15 "
Applying, additional	5 "

PRICE LIST FOR WOOD MOULDING.



No. 5.

No. 5 is used in place of No. 3 where a smaller moulding is required.

	Per Foot.
Walnut, Oak or Cherry, plain	5 cts.
" " " polished	8 "
Mahogany, polished	10 "
White	7 "
Applying, additional	2 "



No. 6.

No. 6 is a neat and effective device for closing the joints between the two sashes. For lift windows apply to the *under side* of *upper sash* with rubber projecting over the lower one. Use 1 inch brads or finishing nails.

	Per Foot.
Walnut, Oak or Cherry, plain	7 cts.
" " " polished	10 "
Mahogany, polished	12 "
White	9 "
Applying, additional	2 "

PRICE LIST FOR WOOD MOULDING.



No. 7.

No. 7 or CUSHION Weather Strip. This is an entirely new and superior arrangement calculated to supersede all others for the purpose to which it is adapted. Its cushion shape makes it more elastic, and consequently more effective in its operation than any other form.

It is applicable to double and single doors and *French* windows. Close the door and brad the strips to the jam or frame outside, so that the cushion rubber presses *very gently* against the door.

	Per Foot.
Walnut, Oak or Cherry, plain	6 cts.
" " " polished	9 "
Mahogany, polished	11 "
White	8 "
Applying, additional	2 "



No. 8.

This is also a CUSHION STRIP. It also used for heavy doors or when too much warped to admit the use of No. 7.

	Per Foot.
Walnut, Oak or Cherry, plain	10 cts.
" " " polished	16 "
Mahogany, polished	20
White	13 "
Applying, additional	2 "

PRICE LIST FOR WOOD MOULDING.



No. 9.

This is like No 4, but extra heavy for large double doors.

Use 1 1-4 in. finished nails or brads.

	Per Foot.
Walnut, Oak or Cherry, plain	15 cts.
" " " polished	25 "
Mahogany, polished	30 "
White	20 "
Applying, additional	5 "



No. 10.

Is applied to the upper and lower sashes of light windows. Also to the sides and top of light doors.

	Per Foot.
Walnut, Oak or Cherry, plain	6 cts.
" " " polished	9 "
Mahogany, polished	11 "
Applying, additional	2 "

PRICE LIST FOR WOOD MOULDING.



No. 11.

Weather Strip Guide, for lower Sash of Windows where Wire Screens are used, in place of No. 3.

	Per Foot.
Walnut, Oak or Cherry, plain	6 cts.
" " " polished	9 "
Mahogany, polished	11 "
Applying, additional	2 "

SPRING BOTTOM STRIPS.



Net Price Each, ...

N. B.—Goods delivered FREE on board in Boston, but positively NO DEDUCTIONS allowed for Freight or Express.

CONDENSED PRICE LIST.

FLEXIBLE STRIPS.

Straight Edge.		Cushion Edge.	
3/8 in., per foot	3 cts.	3/8 in., per foot	5 cts.
1/2 " "	4 "	1/2 " "	6 "
3/4 " "	6 "	3/4 " "	8 "
1 " "	8 "	1 " "	10 "

WOOD MOULDING.

No. 1,	per foot,	Walnut or Oak		12	cts.
" 2,	"	"	"	10	"
" 3,	"	"	"	5	"
" 4,	"	"	"	12	"
" 5,	"	"	"	5	"
" 6,	"	"	"	7	"
" 7,	"	"	"	6	"
" 8,	"	"	"	10	"
" 9,	"	"	"	15	"
" 10,	"	"	"	6	"
" 11,	"	"	"	6	"

SPRING BOTTOM STRIPS.

Net Price Each,.....

ESTIMATES GIVEN,

for applying our Weather Strips to Churches, Hotels, Flats and Public Buildings, by addressing

UNDERWOOD WEATHER STRIP CO.,

BOSTON, MASS.

Gates & Co., Printers, 117 Summer St , Boston.